


NSU *prima* SPARE PARTS LIST



PRIMA V

from frame / engine 2 200 001 / 3 450 001

A m e n d m e n t

Page 14

	2				
Intermediate casing	↓	* 26 10 00 902	1		1
Seal ring	↓	091 901 033	1	20x30x7 mm	2
Bearing	↓	011 055 770	1	15x35x11 6202 DIN 625	3
Flange	↓	26 10 00 084	1		4
Screw	↓	M 5x10 DIN 87	2		5
Washer	↓	26 10 00 016	1	16x25,9x0,8 mm	6
Outer race for needle bearing	↓	26 10 00 015	1		7

* in lieu of 26 10 00 507

Page 15, Fig. No. 11 28 10 00 900 in lieu of 26 10 00 900

Page 16, Fig. No. 13 28 10 00 900 in lieu of 26 10 00 900

Page 45

	1				
Silencer	↓	28 71 01 001	1		2
Muffler	↓	28 71 00 901	1		—
Flute tube	↓	28 71 00 900	1		—
* Clip	↓	11 71 00 506	1		14


* delete last line

Page 46

delete air cleaner unit 26 16 00 016



PRIMA V



Supply of spare parts Part number index	→
	Group
Engine Crankcase	00/01
Cylinder and Piston Assembly flywheel	02/04
Transmission, Rear transmission Clutch	10/13
Gearchange mechanism Gearshift shackle	14
Carburettor	16
Electrical equipment (engine) Fan cowl	17/19
Frame, Mudguards	31/33/34
Propstand and Centerstand Luggage carrier, Saddle cover	35/36/38
Body panels Instrument panel	39/40
Spring fork Handlebars with Fittings Bowden cables	41/43/44
Front wheel Rear wheel	51/52
Foot-brake lever Rear wheel suspension	53/56
Exhaust system Fuel tank Fuel tap	71/72
Electrical equipment (chassis)	81
Tools and Special equipment	91/92/93

Instructions for ordering spare parts

This Spare Parts List contains the **Order Numbers** and the **Descriptions** of all the genuine Spare Parts that are available for the NSU vehicle, and they are also **illustrated**.

The parts are listed according to the Groups to which they belong (see first page and also thumb index).

The information in the numbered columns is as follows:

- Column 1 = Part No.
- Column 2 = Quantity req'd.
- Column 3 = Remarks
- Column 4 = Fig. No.

One or more **vertical arrows after the Part No.** indicate the items included in **complete assemblies**. Where the arrow is interrupted (—), the part concerned is not included in the assembly.

Ordering Spare Parts

Please do not use the orders for other messages or when making enquiries.

An Order for Spare Parts must give:

1. The full address of the person or firm ordering and the date.
2. The way the parts are to be sent, and, if by rail, the nearest railway station.
3. The complete Order Numbers (as given in the Spare Parts List).
4. The quantity required.
5. The correct description of the parts (as given in the Spare Parts List).
6. For painted parts in addition to the Order No. give the Code Number for the finish required:

desert beige	26
brick red	27
tundra green	28
dolphin blue	29

7. When ordering parts for a specific machine, quote the Frame No. and the Engine No.
8. Signature of the person ordering.

London, January 1958

NSU (GREAT BRITAIN) LTD

134—135 KING STREET

HAMMERSMITH, LONDON W 6

Telephone. Riverside 3486 Telegrams: ENESU Cables and Telex: ENESU LONDON

A short horizontal arrow **in front of** the Vehicle No. in the "Remarks" column indicates **up to Vehicle No.** A short horizontal arrow **after** the Vehicle No. in the "Remarks" column indicates **from Vehicle No.**

This description of all the Spare Parts is preceded by an **Order No. Index**, in which the Order Nos. which commence with a three-figure group are first listed in numerical order (without reference to the initial group). These are followed by the parts that commence with 11, 16, 19, 24, 26, 28, 40, and finally there are the parts made to DIN Standards listed according to the DIN numbers and their dimensions. Against each Order No. is shown the **page** on which the description and illustration of the part concerned will be found.

Alterations to Spare Parts must be taken into consideration. They are circulated to NSU Dealers in the **NSU Service Information Bulletins**, so that it is always possible to keep the Spare Parts Lists up to date.

If at some prior date the machine has been **repaired**, and major components have been fitted which differ from those originally employed, please take this into consideration when ordering Spare Parts. In case of doubt send a sample or a sketch.

Conditions of Supply:

Goods are always **sent C. O. D.** unless paid for in advance.

Apart from items supplied in the original carton, all prices refer to goods supplied unpacked ex London. The packing will be charged for at cost, and is non-returnable. Any **complaints** to the supplier should be made within 8 days of receipt of the goods, enclosing the delivery note.

Warranty Conditions:

Only genuine NSU spare parts must be used when repairing NSU vehicles.

The parts covered by guarantee are outlined in the Six Months Guarantee Form sent to each owner of a NSU-Vehicle. A copy of this form is enclosed with each copy of this catalogue for the information of NSU dealers, through whom replacement under guarantee takes place.

Special Note:

All genuine NSU Spare Parts are made to the same specifications as the NSU machines, and are subjected to the same examination and tests. The use of **Genuine NSU Spare Parts** ensures therefore that the correct materials are employed and that the specified dimensions are maintained.

NSU (GREAT BRITAIN) Ltd.

Registered Office: 7, Chesterfield Gardens, London W 1

Part Number index

sts all part numbers contained in the spare parts list.

This index li															
Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page
024 049 962	18	046 410 122	49	085 851 052	41	11 17 10 923	26	11 41 00 053	37	11 81 10 908	47	11 81 10 908	47	11 81 10 908	47
028 050 026	51	046 410 123	49	085 851 055	40	11 17 10 926	27	11 41 00 780	30	11 81 11 912	47	11 81 11 912	47	11 81 11 912	47
128 050 035	51	046 410 124	49	085 851 056	41	11 17 10 927	27	11 41 00 835	37	11 81 60 922	48	11 81 60 922	48	11 81 60 922	48
025 052 368	37	041 410 125	26	085 851 057	41	11 17 10 928	27	11 41 00 841	37	11 81 60 926	48	11 81 60 926	48	11 81 60 926	48
011 055 770	14	041 410 522	26	085 852 060	40	11 17 10 929	27	11 41 00 842	37	11 81 70 950	49	11 81 70 950	49	11 81 70 950	49
026 057 987	49, 50	043 411 209	49	085 852 069	41	11 17 10 930	27	11 43 00 506	38	11 81 11 997	47	11 81 11 997	47	11 81 11 997	47
021 058 005	27, 49, 50	071 716 016	24	085 852 903	46	11 17 10 931	27		48	11 91 00 007	51	11 91 00 007	51	11 91 00 007	51
125 092 820	10	071 716 917	23	083 872 907	46	11 17 10 932	27		48	11 91 00 600	51	11 91 00 600	51	11 91 00 600	51
018 096 618	51	071 716 918	23	083 872 910	46	11 17 10 933	27	11 44 00 010	48	11 91 00 601	51	11 91 00 601	51	11 91 00 601	51
018 096 857	51	071 716 919	23	083 872 911	46	11 17 10 935	27	11 44 00 028	49						
018 097 719	51	071 716 920	23	083 872 912	46	11 17 10 937	27	11 44 00 032	38	11 94 60 600	52	11 94 60 600	52	11 94 60 600	52
034 099 167	11	071 716 921	23	083 872 913	46	11 17 10 939	27	11 44 00 923	42	11 94 00 902	52	11 94 00 902	52	11 94 00 902	52
033 101 248	30	071 716 922	23	083 871 511	48	11 17 10 940	27		42	11 94 00 922	52	11 94 00 922	52	11 94 00 922	52
024 102 006	38	071 716 923	23	086 881 033	10, 14	11 17 10 941	27	11 52 00 870	40, 42						
021 102 766	26	071 716 926	23	091 901		11 17 10 943	28		42	16 16 00 917	23	16 16 00 917	23	16 16 00 917	23
025 104 154	40	071 716 927	23	10 752	11	11 17 10 993	27	11 53 00 002	19, 22						
024 104 768	38	071 717 907	26	11 10 03 017	39	11 17 10 996	26	11 53 00 730	16, 42	16 44 01 001	29	16 44 01 001	29	16 44 01 001	29
011 105 713	23	074 743 605	38	11 16 00 024	30			11 53 00 819	19, 22						
011 106 236	12	074 743 618	38	11 16 00 028	39	11 35 00 818	31	11 53 00 844	16, 42	16 53 00 010	19, 42	16 53 00 010	19, 42	16 53 00 010	19, 42
021 106 248	23, 24	075 752 027	40, 42	11 16 00 036	50				14	16 53 00 013	19, 42	16 53 00 013	19, 42	16 53 00 013	19, 42
024 106 411	38	081 802 047	19	11 16 00 047	47	11 36 00 516	32	11 55 00 850							
021 106 450	23	081 816 024	23	11 17 02 008	49	11 36 00 517	32		45	16 81 00 009	36	16 81 00 009	36	16 81 00 009	36
021 106 451	23, 24	081 816 920	24	11 17 00 036	50			11 71 00 906							
011 109 070	28	081 816 921	24	11 17 00 068	28	11 38 01 018	32		46	16 93 00 042	35	16 93 00 042	35	16 93 00 042	35
031 109 330	23	081 816 922	24	11 17 01 506	47	11 38 02 018	32	11 72 00 600							
031 109 336	23	083 831 031	25	11 17 00 520	50				47	19 05 00 055	17	19 05 00 055	17	19 05 00 055	17
121 110 084	23	083 831 046	48	11 17 00 907	26	11 39 02 001	35	11 81 60 600	42	19 16 00 027	25	19 16 00 027	25	19 16 00 027	25
121 110 087	23	084 841 020	41	11 17 00 909	28	11 39 00 009	31	11 81 60 601	47, 49						
128 110 810	51	085 851 017	41	11 17 10 911	26	11 39 00 029	33, 34, 36	11 81 10 902	47	19 41 01 012	37	19 41 01 012	37	19 41 01 012	37
126 111 740	48	085 851 038	40	11 17 10 915	26	11 39 00 066	33	11 81 10 903	47	19 41 00 025	37	19 41 00 025	37	19 41 00 025	37
041 404 124	20, 38	085 851 043	41	11 17 10 916	26			11 81 11 904	47	19 41 00 027	37	19 41 00 027	37	19 41 00 027	37
046 410 121	49	085 851 044	41	11 17 10 916	26	11 41 00 052	37	11 81 11 905							

Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page
19 43 00 007	38	24 81 00 012	50	26 10 00 046	15	26 13 00 020	19	26 14 00 047	16, 22	26 17 00 900	26
19 43 00 008	38	26 01 00 004	10	26 10 00 048	15	26 13 00 022	18	26 14 00 048	16, 22, 43	26 17 00 901	27
19 43 00 009	38	26 01 00 005	10	26 10 00 065	14	26 13 00 023	18	26 14 00 051	16, 22	26 17 00 902	27
19 43 00 010	38	26 01 00 006	15	26 10 00 067	14	26 13 00 024	18	26 14 00 053	21	26 17 00 906	27
19 43 00 011	38	26 01 01 006	10	26 10 00 069	14	26 13 00 025	18	26 14 00 054	16, 22	26 17 00 907	27
19 43 00 013	39	26 01 00 008	10	26 10 00 073	20	26 13 00 029	18	26 14 00 501	20	26 17 00 908	27
19 43 00 014	39	26 01 00 501	10	26 10 00 077	20	26 13 00 033	18	26 14 00 502	20	26 17 00 909	26
19 43 00 015	38	26 01 00 502	10	26 10 00 078	14	26 13 00 037	18	26 14 00 503	20	26 17 00 910	27
19 43 00 016	38			26 10 00 079	15	26 13 00 041	18	26 14 00 504	16, 22		
19 43 00 019	38	26 02 00 003	11	26 10 00 080	15	26 13 00 046	19	26 14 00 507	16, 22	26 19 00 005	11
19 43 00 020	38	26 02 00 009	11	26 10 00 081	42, 15	26 13 00 050	18	26 14 00 509	20	26 19 00 501	29
19 43 00 505	38	26 02 00 010	11	26 10 00 083	17	26 13 00 051	18	26 14 00 510	20	26 19 00 505	29
19 43 00 900	38	26 02 00 011	29	26 10 00 084	14	26 13 00 062	18	26 14 00 511	16, 22		
				26 10 00 085	15	26 13 00 064	18	26 14 00 512	16, 22	26 31 00 022	9
19 51 00 010	40, 42	26 04 00 005	12	26 10 00 086	42	26 13 00 506	19	26 14 00 515	16, 22	26 31 00 023	9
19 51 00 012	40	26 04 00 006	12	26 10 00 114	14	26 13 00 512	18	26 14 00 516	16, 22	26 31 00 035	30
19 51 01 013	41	26 04 00 007	12	26 10 00 115	17	26 13 00 514	18			26 31 00 047	30
19 51 00 014	40	26 04 00 008	12	26 10 00 116	17	26 13 00 515	18	26 16 00 015	25	26 31 00 056	34
19 51 00 015	40	26 04 00 009	12	26 10 00 118	20	26 13 00 517	18	26 16 00 016	25	26 31 00 061	30
19 51 00 021	41	26 04 00 013	12, 13	26 10 00 119	17			26 16 00 030	39	26 31 00 529	30
19 51 00 043	41	26 04 00 502	12	26 10 00 120	17	26 14 00 005	20	26 16 00 040	25	26 31 00 900	30
19 51 00 047	40			26 10 01 501	17	26 14 00 006	20	26 16 00 042	25		
19 51 00 504	40	26 10 00 003	14	26 10 00 505	14	26 14 00 009	20	26 16 00 505	25	26 32 00 027	30
19 51 00 510	40	26 10 00 010	15, 17	26 10 00 510	15	26 14 00 010	20	26 16 01 505	25	26 32 00 039	32
19 51 00 511	40, 42	26 10 01 011	17	26 10 00 517	20	26 14 00 011	20	26 16 00 506	39	26 32 00 042	35
19 51 00 512	41	26 10 01 012	17	26 10 00 519	14	26 14 00 012	20			26 32 00 045	30
19 51 00 515	40	26 10 00 014	17	26 10 00 601	15	26 14 00 014	16, 22	26 17 00 001	28	26 32 00 052	35
19 51 01 516	40	26 10 00 015	14	26 10 00 901	14	26 14 00 023	16, 22	26 17 00 002	28	26 32 00 053	35
		26 10 00 016	14, 17	26 10 00 902	14	26 14 00 027	21	26 17 00 004	28	26 32 00 502	30
24 01 00 510	40	26 10 00 017	17			26 14 00 028	26, 21, 22	26 17 00 005	28	26 32 00 508	35
		26 10 00 042	15			26 14 00 032	20	26 17 00 006	28		
24 16 00 900	23	26 10 00 043	15	26 13 00 008	18	26 14 00 033	20	26 17 00 501	26	26 33 00 003	31
		26 10 00 044	15	26 13 00 015	18	26 14 00 034	21	26 17 00 503	28	26 33 00 006	31
24 81 00 011	49	26 10 00 045	15	26 13 00 017	19	26 14 00 035	21	26 17 00 504	28		

Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page	Part. No.	Page
26 34 00 501 . . .	31	26 39 00 107 . . .	33	26 41 00 521 . . .	37	26 56 00 006 . . .	44	26 81 00 012 . . .	49	26 91 00 001 . . .	51
		26 39 00 108 . . .	34	26 41 00 522 . . .	37	26 56 00 037 . . .	44	26 81 00 013 . . .	49	26 91 00 002 . . .	51
26 35 00 003 . . .	31	26 39 00 501 . . .	35			26 56 00 039 . . .	37, 44	26 81 00 014 . . .	49, 50	26 91 00 003 . . .	51
26 35 00 009 . . .	31	26 39 00 502 . . .	35	26 43 00 007 . . .	38	26 56 00 043 . . .	44	26 81 00 015 . . .	49	26 91 00 500 . . .	51
26 35 00 010 . . .	31	26 39 00 503 . . .	33	26 43 00 500 . . .	38	26 56 00 044 . . .	44	26 81 00 016 . . .	50		
26 35 00 501 . . .	31	26 39 00 504 . . .	34	26 43 00 501 . . .	38	26 56 00 045 . . .	44	26 81 00 017 . . .	49	26 92 00 001 . . .	52
26 35 00 502 . . .	31	26 39 00 505 . . .	34	26 43 00 502 . . .	38	26 56 00 046 . . .	44	26 81 00 018 . . .	49	26 92 00 002 . . .	52
		26 39 00 512 . . .	34	26 43 00 505 . . .	38	26 56 00 047 . . .	44	26 81 00 019 . . .	49	26 92 00 004 . . .	52
26 36 00 500 . . .	32	26 39 00 513 . . .	35			26 56 00 049 . . .	44	26 81 00 020 . . .	50	26 92 00 502 . . .	52
26 36 00 505 . . .	32	26 39 00 514 . . .	35	26 44 00 008 . . .	39	26 56 00 060 . . .	44	26 81 00 021 . . .	50	26 92 00 900 . . .	52
26 36 00 508 . . .	32	26 39 00 515 . . .	35	26 44 00 500 . . .	39	26 56 00 508 . . .	44	26 81 00 022 . . .	49	26 92 00 901 . . .	52
		26 39 00 516 . . .	35	26 44 00 501 . . .	39	26 56 00 509 . . .	44	26 81 00 030 . . .	50	26 92 00 902 . . .	52
26 38 00 009 . . .	32			26 44 00 502 . . .	39			26 81 00 031 . . .	50	26 92 00 903 . . .	52
26 38 00 014 . . .	32	26 40 00 014 . . .	36			26 71 00 015 . . .	45	26 81 00 032 . . .	50		
26 38 00 015 . . .	32	26 40 00 018 . . .	36	26 51 00 047 . . .	40, 42, 47	26 71 00 037 . . .	45	26 81 00 033 . . .	50	26 93 00 001 . . .	53
26 38 00 016 . . .	32	26 40 00 019 . . .	36	26 51 00 501 . . .	40	26 71 01 504 . . .	45	26 81 00 034 . . .	50	26 93 00 002 . . .	53
26 38 00 506 . . .	32	26 40 00 503 . . .	36	26 51 00 504 . . .	40, 42, 53			26 81 00 036 . . .	49		
26 38 00 508 . . .	32	26 40 00 504 . . .	36	26 51 00 513 . . .	41	26 72 00 008 . . .	30, 46	26 81 00 037 . . .	50	28 00 00 900 . . .	9
26 28 00 509 . . .	32	26 40 00 900 . . .	36	26 51 00 515 . . .	40	26 72 00 020 . . .	46	26 81 00 039 . . .	50	28 01 00 900 . . .	10
				26 51 00 516 . . .	40	26 72 00 021 . . .	46	26 81 00 502 . . .	49		
26 39 01 044 . . .	34	26 41 00 013 . . .	37			26 72 00 022 . . .	46	26 81 00 503 . . .	49	28 02 00 002 . . .	11
26 39 01 045 . . .	34	26 41 00 014 . . .	37	26 52 00 004 . . .	42	26 72 01 504 . . .	46	26 81 00 504 . . .	49	28 02 00 004 . . .	11
26 39 00 047 . . .	34	26 41 00 015 . . .	37	26 52 00 007 . . .	15, 42	26 72 00 508 . . .	46	26 81 00 505 . . .	50	28 02 01 501 . . .	11
26 39 00 048 . . .	34	26 41 00 034 . . .	37	26 52 00 008 . . .	42	26 72 00 514 . . .	46	26 81 00 506 . . .	50	28 02 01 502 . . .	11, 12
26 39 00 051 . . .	33	26 41 00 035 . . .	37	26 52 00 009 . . .	42	26 72 00 515 . . .	46	26 81 00 507 . . .	50		
26 39 01 056 . . .	34	26 41 00 036 . . .	37	26 52 00 501 . . .	42	26 72 00 900 . . .	46	26 81 00 508 . . .	50	28 04 00 002 . . .	12
26 39 01 057 . . .	34	26 41 00 037 . . .	37	26 52 00 503 . . .	42	26 72 00 901 . . .	46	26 81 00 509 . . .	50	28 04 00 003 . . .	12
26 39 00 064 . . .	35	26 41 00 038 . . .	37					26 81 00 511 . . .	48	28 04 00 004 . . .	12
26 39 00 073 . . .	35	26 41 00 039 . . .	37	26 53 00 005 . . .	43	26 73 00 501 . . .	51	26 81 00 512 . . .	50	28 04 00 006 . . .	12, 13
26 39 00 074 . . .	33	26 41 00 040 . . .	37	26 53 00 019 . . .	43			26 81 00 513 . . .	50	28 04 00 008 . . .	12
26 39 00 081 . . .	34	26 41 00 041 . . .	37	26 53 00 020 . . .	43	26 81 00 007 . . .	49	26 81 00 900 . . .	47	28 04 00 010 . . .	13
26 39 00 082 . . .	34	26 41 00 046 . . .	37	26 53 00 021 . . .	43	26 81 00 009 . . .	49	26 81 50 902 . . .	48	28 04 00 012 . . .	13
26 39 00 096 . . .	34	26 41 00 517 . . .	37	26 53 00 502 . . .	43	26 81 00 010 . . .	49	26 81 50 903 . . .	48	28 04 00 014 . . .	13
26 39 00 106 . . .	34	26 41 00 518 . . .	37	26 53 00 505 . . .	43	26 81 00 011 . . .	49	26 81 50 904 . . .	48	28 04 00 501 . . .	12

Part. No.	Page
28 04 00 503 . . .	12
28 04 00 504 . . .	13
28 04 00 505 . . .	13
28 04 00 506 . . .	13
28 04 00 507 . . .	12
28 10 00 900 . . .	15, 16
28 16 00 501 . . .	23
28 16 00 900 . . .	23
28 16 00 901 . . .	23
28 16 00 902 . . .	23
28 16 00 903 . . .	23
28 16 00 904 . . .	23
28 16 00 905 . . .	24
28 16 00 906 . . .	23, 24
28 16 00 907 . . .	24
28 16 00 909 . . .	23
28 16 00 910 . . .	24
28 16 00 911 . . .	24
28 16 00 912 . . .	24
28 16 00 913 . . .	23
28 33 00 501 . . .	31
28 39 00 001 . . .	34
28 39 00 501 . . .	34
28 71 01 001 . . .	45
28 71 00 900 . . .	45
28 71 00 901 . . .	45
28 81 00 001 . . .	50
28 81 00 005 . . .	47
28 81 00 500 . . .	48
28 81 00 501 . . .	50
28 81 00 502 . . .	47
28 81 00 503 . . .	47
28 81 60 900 . . .	47

Part. No.	Page
28 81 40 901 . . .	47
28 81 40 902 . . .	47
28 81 40 903 . . .	47
28 81 40 904 . . .	47
28 81 40 905 . . .	47
28 81 40 906 . . .	47
28 81 00 907 . . .	48
28 81 40 908 . . .	47
40 56 00 021 . . .	37, 44

Part. No.	Page
DIN 7	
6 m 6x12	20
DIN 63	
AM 5x12	34
AM 6x15	15
DIN 84	
AM 3x6	26
AM 4x5	27, 48
AM 4x6	26, 47
AM 4x6	28
(Messing)	
AM 4x7	26
AM 4x10	44
AM 5x8	29
M 5x18	48
M 6x15	27
M 6x20	27, 42
DIN 85	
AM 4x12	25
M 5x12	30
DIN 87	
M 5x10	14
DIN 88	
M 4x6	36
M 4x8	36

Part. No.	Page
DIN 91	
AM 4x6	27
AM 4x10	33, 47
AM 4x15	47
AM 5x10	33, 36, 38, 47
AM 6x15	31
DIN 94	
2x15	16, 22
DIN 125	
3,7	26
6,4	16, 22
7,4	16, 22
8,4	11, 53
DIN 127	
B 3	26
B 4	26, 27, 28, 44
B 5	48
A 6	38
B 8	30, 32, 45, 49
DIN 137	
A 4	25, 48
B 4	26, 35, 47
DIN 137	
A 5	14, 30
B 5	29, 31, 34, 51
A 6	10, 14, 19, 20 27, 31, 42

Part. No.	Page
DIN 137	
B 6	14, 28, 30, 31, 45
A 7	41
B 7	31, 32
A 8	37
B 8	20, 21, 32, 40, 45
A 10	39
B 10	37, 38
B 14	9, 30
DIN 315	
M 8	53
DIN 433	
4,3	26
8,4	43
DIN 471	
10x1	37
19x1,2	17
DIN 472	
40x1,75	15
42x1,75	40
52x2	10
DIN 551	
M 4x8	34, 47
DIN 603	
M 8x60	53


Part. No.	Page
DIN 660	
1,7x3,5	34, 35
1,7x7,5	34
3x23	51
DIN 835	
M 8x25	11
M 8x35	11
DIN 911	
10	51
DIN 931	
M 6x35	46
M 6x36	45
M 6x38	31
M 6x60	10
M 6x65	10
M 7x52	31
M 8x25	30
M 8x28	30
M 8x65	27
M 8x90	32
DIN 933	
M 3x9	26
M 5x18	31, 38
M 6x8	30
M 6x12	28, 31
M 6x15	14, 38
M 6x20	20
M 7x12	32
M 8x15	45, 49
M 8x20	32

Part. No.	Page
DIN 933	
M 8x25	45
DIN 934	
M 3	26
M 5	14, 30, 31 34, 48, 51
M 6	14, 16, 22 28, 31, 45
M 8	11, 21, 30, 32, 45
M 10	40, 42
M 10x1	37, 39, 44, 47
DIN 936	
M 8x1	20, 40
M 10x1	37
M 14x1,5	9, 30
M 20x1,5	15
DIN 940	
M 6x24	10
M 6x26	14
M 6x30	10
M 6x32	14
M 8x135	10
DIN 960	
M 8x1x82	32
DIN 961	
M 8x1x22	37

Part. No.	Page
DIN 985	
M 8x1	32
DIN 1476	
2x3	30
4x6	20
DIN 6799	
2,3	36
4	35
6	16, 22, 32
7	16, 22
8	16, 22, 31, 43
9	40, 42
DIN 6888	
3x3,7	27
3x5	12
DIN 7338	
C 3x6	18
DIN 7603	
A 6x12	20
A 8x14	20
C 14x18	21
A 24x32	14
DIN 7973	
S 4,8x16	34
DIN 7974	
S 2,9x9,5	25, 50


Description	1	2	3	4
Engine w/starter and carburettor	28 00 00 900	1		1
Bolt	26 31 00 023	1		2
Washer	26 31 00 022	2		3
Lock washer	B 14 DIN 137	2		4
Nut	M 14 x 1,5 DIN 936	2		5

00



Description	1	2	3	4
Crankcase front	26 01 00 501	1		1
Stud	26 01 00 008	1	M 8 x 177	2
Stud	M 8 x 135 DIN 940	1		3
Crankcase rear	26 01 00 502	1		4
Stud	26 01 00 008	1	M 8 x 177	5
Stud	M 8 x 135 DIN 940	1		6
Stud	M 6 x 30 DIN 940	4		7
Stud	M 6 x 24 DIN 940	2		8
Additional parts for crankcase front				
Bearing	125 092 820	1	20x52x15 6304 DIN 625	9
Oilseal	091 901 033	1	20 x 30 x 7 mm	10
Adjusting bush	26 01 00 004	2		11
Additional parts for crankcase rear				
Bearing	125 092 820	1	20x52x15 6304 DIN 625	12
Circlip	52 x 2 DIN 472	1		13
Oilseal	26 01 01 006	1	30 x 40 x 7 mm	14
Adjusting bush	25 01 00 004	2		15
Parts for assembly of casings				
Gasket	26 01 00 005	1		16
Lock washer	A 6 DIN 137	12		17
Screw	M 6 x 65 DIN 931	2		18
Screw	M 6 x 60 DIN 931	4		19
Set of gaskets	28 01 00 900	1		—

01




Description	1	2	3	4
Cylinder with piston	1	28 02 01 502	1	—
① Cylinder	↓	28 02 01 501	1	1
Stud	↓	M 8 x 35 DIN 835	2	2
Gasket		26 02 00 010	2	3
② Cover		—	—	4
Elbow	↓	26 02 00 009	1	5
Stud	↓	M 8 x 25 DIN 835	2	—
Circlip		11 10 00 752	2	6
Nut		034 099 167	2	7
Gasket		26 02 00 003	1	8
Gasket		28 02 00 004	1	9
Cylinder head		28 02 00 002	1	10
Spacer		26 19 00 005	2	11
Washer		8,4 DIN 125	4	12
Nut		M 8 DIN 934	4	13

① not supplied

② s. group 19


02



Description	1	2	3	4
	1 2			
Crankshaft assembly w/bearings	28 04 00 507	1		1
④ Bearing	—	2		—
① Crankshaft	28 04 00 002	1		2
① Crank pin	26 04 00 005	1		3
① Washer	26 04 00 008	1		4
①② Roller	011 106 236	40	normal 5x5 DIN 5402	5
①② Roller	011 106 236	40	+ 0,004 5x5 DIN 5402	—
①② Roller	011 106 236	40	+ 0,002 5x5 DIN 5402	—
①② Roller	011 106 236	40	— 0,002 5x5 DIN 5402	—
①② Roller	011 106 236	40	— 0,004 5x5 DIN 5402	—
①② Roller	011 106 236	40	— 0,006 5x5 DIN 5402	—
① Race	26 04 00 007	1		6
① Connecting rod	26 04 00 502	1		7
Bush	26 04 00 009	1		8
① Circlip	26 04 00 006	1		9
① Washer	26 04 00 008	1		10
① Crankshaft	28 04 00 003	1		11
Woodruff key	3x5 DIN 6888	1		—
Piston and cylinder	28 02 01 502	1		—
③ Piston	28 04 00 501	1	62 mm Ø	12
Piston ring	28 04 00 004	3	62 mm Ø	13
Gudgeon pin	28 04 00 006	1		14
Circlip	26 04 00 013	2		15
Oversize parts				
Piston	28 04 00 503	1	62,25 mm Ø	—
Piston ring	28 04 00 008	3	62,25 mm Ø	—
Gudgeon pin	28 04 00 006	1		—
Circlip	26 04 00 013	2		—


- ① not supplied,
send in crankshaft
- ② as required
- ③ not supplied by itself
- ④ see group 01

04




Description	1	2	3	4
Piston	28 04 00 504	1	62,5 mm Ø	—
Piston ring	28 04 00 010	3	62,5 mm Ø	—
Gudgeon pin	28 04 00 006	1		—
Circlip	26 04 00 013	2		—
Piston	28 04 00 505	1	62,75 mm Ø	—
Piston ring	28 04 00 012	3	62,75 mm Ø	—
Gudgeon pin	28 04 00 006	1		—
Circlip	26 04 00 013	2		—
Piston	28 04 00 506	1	63 mm Ø	—
Piston ring	28 04 00 014	3	63 mm Ø	—
Gudgeon pin	28 04 00 006	1		—
Circlip	26 04 00 013	2		—

04



Description	1	2	3	4
	1 2			
Gearbox w/intermediate casing and final drive assembly	26 10 00 901	1		—
Intermediate casing	26 10 00 507	1		1
Seal ring	091 901 033	1	20x30x7 mm	2
Bearing	011 055 770	1	15x35x11 6202 DIN 625	3
Flange	26 10 00 084	1		4
Screw	M 5 x 10 DIN 87	2		5
Washer	26 10 00 016	1	16x25,9x0,8 mm	6
Outer race for needle bearing	26 10 00 015	1		7
Transmission casing	26 10 00 505	1		8
Bush	26 10 00 003	1		9
Washer	26 10 00 016	1	16x25,9x0,8 mm	10
Outer race for needle bearing	26 10 00 015	1		11
Stud	M 6 x 26 DIN 940	4		12
Stud	M 6 x 32 DIN 940	2		—
Stud	26 10 00 114	1		13
Breather stub	26 10 00 078	1		14
Adjusting bush	26 01 00 004	2		15
Gasket	26 10 00 069	1		16
Lock washer	B 6 DIN 137	24		17
Nut	M 6 DIN 934	12		18
Oil filler and drain plug	11 55 00 850	2		19
Gasket	A 24x32 DIN 7603	2		20
Cover	26 10 00 065	1		21
Lock washer	A 5 DIN 137	2		22
Nut	M 5 DIN 934	1		23
Cover	26 10 00 519	1		24
Gasket	26 10 00 067	1		25
Lock washer	A 6 DIN 137	12		26
Screw	M 6x15 DIN 933	6		27
Lock washer	A 6 DIN 137	2		28
Nut	M 6 DIN 934	1		29

10



Description	1	2	3	4
	1 2			
Rear transmission (final drive assembly)				
Needle bearing	26 10 00 079	1	INA-NK 30/20	1
Circlip	40x1,75 DIN 472	1		2
Washer	26 10 00 110	1		3
Seal ring	26 01 00 006	1	30x40x7 mm	4
Splindle, compl.	26 10 00 510	1		5
Ring	26 10 00 080	1		6
① Race	26 10 00 085	1		—
Bearing	26 10 00 601	1	25x52x20,6 3205 DIN 628	7
Flange	26 10 00 048	1		8
Screw	M 6x15 DIN 63	4		9
① Shim	26 10 00 042	—	25x34x0,5 mm	10
① Shim	26 10 00 043	—	25x34x0,6 mm	—
① Shim	26 10 00 044	—	25x34x0,7 mm	—
① Shim	26 10 00 045	—	25x34x0,8 mm	—
① Shim	26 10 00 046	—	25x34x0,9 mm	—
③ Pinion w/driven layshaft and bearing	26 10 00 900	1		11
Lock plate	26 52 00 007	1		12
Washer	26 10 00 081	1		13
Nut	M 20x1,5 DIN 936	1		14
② Cover	—	—		—


① dimension and quantity
as required

② see page 14

③ supplied only together
with layshaft and
bearing (see page 16,
figure 13)

④ not supplied separa-
tely, send in axle

10




Description	1	2	3	4
Transmission	1 2			
Main shaft	26 10 01 018	1	11	1
① Washer	012 098 209	—	0,2 ; 0,3 ; 0,5 mm	—
Circlip	26 10 00 032	1		2
Ring	26 10 00 031	1		3
Washer	26 10 00 034	2	16x19,7x0,8 mm	4
Circlip	26 10 01 074	1		5
Gear	26 10 01 021	1	16	6
Gear	26 10 01 020	1	20	7
Washer	26 10 01 028	1	12x19x2 mm	8
Gear	26 10 01 019	1	23	9
Race	26 10 00 023	1		10
Needle cage	19 05 00 055	1	INA-K 15/13	11
Spring clip	12 DIN 9045	1		12
① Layshaft with bearing	26 10 00 900	1		13
① Washer	26 10 00 037	—	40,5x46,9x0,5 mm	14
① Washer	26 10 00 038	—	40,5x46,9x0,6 mm	—
① Washer	26 10 00 039	—	40,5x46,9x0,7 mm	—
① Washer	26 10 00 040	—	40,5x46,9x0,8 mm	—
① Washer	26 10 00 041	—	40,5x46,9x0,9 mm	—
Bearing	26 10 00 600	1	20x47x20,6 3204 X - C 3 DIN 628	15
Flange	26 10 00 047	1		16
Screw	AM 6x18 DIN 91	5		17
Gear	26 10 00 007	1	27	18
Lock plate	26 10 00 009	1		19
Nut	26 10 00 008	1		20

① dimension and quantity as required

① only supplied together with pinion (see page 15, fig. 11)


10



Description	1	2	3	4
	1	2		
Gear	26 10 01 011	1	32	21
Bush	26 10 00 010	1		22
① Washer	26 10 00 083	—		23
① Washer	26 10 00 016	—	16x25,9x0,8 mm	—
Circlip	19x1,2 DIN 471	1		24
Gear	26 10 01 012	1	36	25
① Washer	26 10 00 017	1	15x24x3,5 mm	26
① Washer	26 10 00 119	—	15x24x3,8 mm	—
① Washer	26 10 00 120	—	15x24x4,2 mm	—
Gear	26 10 01 501	1	41	27
Bush	26 10 00 014	1		28
Needle cage	19 05 00 055	1	INA/K 15/13	29
① Washer	26 10 00 115	—	2,7 mm	30
① Washer	26 10 00 116	—	3,0 mm	—

① Quantity and dimensions as required


10



Description	1	2	3	4
Clutch	1 2			
Thrust plate	26 13 00 515	1		1
Clutch plate	26 13 00 029	1		2
Rivet	C 3x6 DIN 7338	6		3
Lock plate	26 13 00 008	1		4
Nut	26 13 00 062	1		5
Clutch plate	26 13 00 037	1		6
Clutch main plate	26 13 00 514	1		7
Clutch plate	26 13 00 029	1		8
Rivet	C 3x6 DIN 7338	6		9
Spring cup	26 13 00 050	8		10
Spring	26 13 00 041	8		11
Cup for clutch	26 13 00 051	1		12
Circlip	26 13 00 033	1		13
Damper	26 13 00 517	1		14
Lock plate	26 13 00 064	1		15
Nut	26 13 00 512	1		16
Seal	26 13 00 025	1	5x15x6	17
Thrust rod	26 13 00 015	1		18
Ball	024 049 962	1	5 mm Ø	19
① Thrust rod	26 13 00 022	1	59 mm lang	20
① Thrust rod	26 13 00 024	1	58,5 mm lang	—
① Thrust rod	26 13 00 023	1	60 mm lang	—


① dimension as required

13




Description	1	2	3	4
1				
Clutch control parts				
Thrust pin	26 13 00 017	1		21
Lever	26 13 00 506	1		22
Yoke	16 53 00 013	1		23
Pin	16 53 00 010	1		24
Washer	11 53 00 002	1	6,4x10x1	25
Locking clip	11 53 00 819	1		26
Spring	26 13 00 046	1		27
Seal ring	26 13 00 020	1		28
Lock washer	A 6 DIN 137	2		29
Bolt	081 802 047	1		30

13




Description	1	2	3	4
Gearchange mechanism	1			
Shifter fork for mainshaft	26 14 00 509	1		1
Shifter fork for layshaft	26 14 00 510	1		2
Shifter shaft	26 14 00 032	1		3
Shifter disk	26 14 00 501	1		4
Control unit	26 14 00 503	1		5
Gearchange pawl	26 14 00 502	2		6
Pin	26 14 00 005	2		7
Lock washer	26 14 00 010	1		8
Grooved stud	4x6 DIN 1476	1		9
Spring	26 14 00 006	1		10
Seal ring	26 14 00 033	1		11
Cover	26 10 00 517	1		12
Ratchet	26 14 00 009	1		13
Eccentric pin	26 14 00 011	1		14
Seal	A 8x14 DIN 7603	1		15
Washer	041 404 134	1	8,1x15x0,5 mm	16
Spg. washer	B 8 DIN 137	2		17
Nut	M 8x1 DIN 936	1		18
Spring	26 14 00 012	1		19
Ring	26 10 00 118	1		20
Gasket	26 10 00 073	1		21
Pin	6 m 6x12 DIN 7	2		22
Gasket	A 6x12 DIN 7603	4		23
Washer	26 10 00 077	4	6,2x12x0,5 mm	24
Spg. washer	A 6 DIN 137	4		25
Bolt	M 6x20 DIN 933	4		26

14




Description	1	2	3	4
Stricker lever	26 14 00 027	1		27
Bush	26 14 00 028	1		28
Spg. washer	B 8 DIN 137	2		29
Nut	M 8 DIN 934	1		30
Pin	26 14 00 034	1		31
Spring	26 14 00 035	1		32
Gasket	C 14x18 DIN 7603	1		33
Retainer for pin	26 14 00 053	1		34

14



Description	1	2	3	4
	1			
Carburettor	28 16 00 501	1		—
Carburettor body	28 16 00 900	1		1
Plug	071 716 917	1		2
Sealing ring	071 716 927	1		3
Needle jet	071 716 921	1		4
Jet base	071 716 920	2		5
Sealing	071 716 926	2		6
Plug	28 16 00 909	1		7
Sealing ring	28 16 00 913	1		8
①④ Main jet	011 105 713	1		9
②④ Pilot jet	011 105 713	1		10
③④ Starter jet	011 105 713	1		11
Screw	071 716 918	1		12
Spring	071 716 919	1		13
Screw	031 109 330	1		14
Nut	021 106 451	1		15
Float	24 16 00 900	1		16
Float needle	031 109 336	1		17
Sealing ring	16 16 00 917	1		18
Plug	28 16 00 906	1		19
Float champer cap	28 16 00 904	1		20
Screw	021 106 450	2		21
Throttle slide	28 16 00 902	1		22
Jet needle	071 716 922	1		23
Spring clip	071 716 923	1		24
Spring	121 110 084	1		25
Top cap	28 16 00 901	1		26
Lock ring for top cap	121 110 087	1		27
Adjuster	021 106 248	1		28
Nut	121 106 451	1		29
Plunger	28 16 00 903	1		30

16



Description	1	2	3	4
	1 2			
Spring	28 16 00 911	1		31
Plug	23 16 00 907	1		32
Sealing ring	28 16 00 912	2		33
Swivelling hose adaptor	28 16 00 905	1		34
Holding bolt	28 16 00 906	1		35
Clamp	081 816 920	1		36
Screw	081 816 921	1		37
Nut	081 816 922	1		38
Sleeve	071 716 016	1		39
Tube	28 16 00 910	1		40
Adjuster	021 106 248	1		41
Nut	021 106 451	1		42


① normally 105

② normally 50

③ normally 90

④ state number
stamped on part

16




Description	1	2	3	4
Cover	26 16 00 505	1	→ 2 203 954 / 3 453 998	—
Cover	26 16 01 505	1	2 203 955 / 3 453 999 →	1
Sealing ring	26 16 00 042	1	2 203 955 / 3 453 999 →	2
Intake elbow	26 16 00 040	1		3
Air cleaner unit	26 16 00 016	1		4
Screw	S 2,9x9,5 DIN 7974	3	→ 2 203 954 / 3 453 998	—
⑤ Plug	083 831 031	1	→ 2 203 954 / 3 453 998	—
Screw	081 816 024	1	2 203 955 / 3 453 999 →	5
Hose	26 16 00 015	1		6
Clamp	19 16 00 027	1		7
Screw	AM 4x12 DIN 85	1		8
Spg. washer	A 4 DIN 137	1		9
Nut	M 4 DIN 934	1		10
⑥ Tickler cable	—	—		—

⑤ for vehicles prior to
No. 2 203 954 / 3 453 998
to be ordered addition-
ally when ordering air
cleaner unit


⑥ s. group 44

16




Description	1	2	3	4
	1 2 3			
Flywheel dynamo and starter	26 17 00 501	1	—	—
Body	26 17 00 900	1	—	1
Condenser	11 17 00 916	1	—	—
Clamp for condenser	11 17 10 915	1	—	—
Bolt	AM 4x6 DIN 84	2	—	—
Spr. ring	B 4 DIN 127	2	—	—
Contact-breaker bracket	26 17 00 909	1	—	—
Excenter-bolt	071 717 907	1	—	—
Contact-breaker arm	041 410 125	1	—	—
C-washer	11 17 10 993	1	—	—
Contact bracket	041 410 522	1	—	—
Washer	4,3 DIN 433	1	—	—
Spg. ring	B 4 DIN 127	1	—	—
Bolt	AM 4x7 DIN 84	1	—	—
Bolt	M 3x9 DIN 933	1	—	—
Washer	3,7 DIN 125	1	—	—
Insulating washer	11 17 10 996	2	—	—
Insulating washer	11 17 10 923	1	—	—
Washer	3,7 DIN 125	1	—	—
Spg. ring	B 3 DIN 127	1	—	—
Nut	M 3 DIN 934	1	—	—
Resistance	11 17 10 907	1	—	—
Spg. ring	B 3 DIN 127	1	—	—
Bolt	AM 3x6 DIN 84	1	—	—
Spg. washer	B 4 DIN 137	1	—	—
Bolt	AM 4x6 DIN 84	1	—	—
Rubber grommet	021 102 766	1	—	—
Carbon	11 17 10 911	2	—	—
Spring for brush	11 17 10 940	2	—	—
Spg. ring	B 4 DIN 127	1	—	—
Bolt	AM 4x7 DIN 84	1	—	—

17



Description	1	2	3	4
	1 2 3			
Spg. ring		B 4 DIN 127	1	—
Bolt		AM 4x5 DIN 84	1	—
Lead, connecting, Cutout/field (yellow)		26 17 00 906	1	—
Spade terminal		26 17 00 910	1	—
Lead, connecting, terminal 61 / + brush (red)		26 17 00 908	1	—
Spade terminal		26 17 00 910	1	—
Lead, connecting, breaker / ignition coil (black)		26 17 00 907	1	—
Spade terminal		11 17 10 939	1	—
Rubber cap		021 058 005	2	—
Spg. washer		A 6 DIN 137	8	2
Bolt		M 6x20 DIN 84	2	3
Bolt		M 6x15 DIN 84	2	4
Rubber ring		11 17 10 935	1	5
Cover plate		11 17 10 933	1	6
Bolt		AM 4x6 DIN 91	3	7
Lubricating pad		11 17 10 937	1	—
Armature, compl.		26 17 00 901	1	8
Woodruff key		3x3,7 DIN 6888	1	9
Fan		26 17 00 902	1	10
Bob weight		11 17 10 926	1	—
Washer		11 17 10 927	nach Bedarf	—
C-washer		11 17 10 993	1	—
Spring		11 17 10 928	1	—
Cam bush		11 17 10 929	1	—
Circlip		11 17 10 930	1	—
① Woodruff key		—	—	11
Tongued washer		11 17 10 941	1	12
Bolt		M 8x65 DIN 931	1	13
Cover plate		11 17 10 931	1	14
Spg. ring		11 17 10 932	1	15

17




Description	1	2	3	4
Cutout	26 17 00 504	1		16
Bolt	M 6x12 DIN 933	2		17
Spg. washer	B 6 DIN 137	2		18
Nut	M 6 DIN 934	2		19
Spg. ring	B 4 DIN 127	3		—
Bolt	AM 4x6 DIN 84	3		—
Rubber plug	11 17 10 943	1		—
Cutout cover	11 17 10 909	1		—
Ignition coil, compl.	26 17 00 503	1	12 V	20
Ignition coil	26 17 00 006	1	12 V	—
Ignition lead	26 17 00 002	1	L = 330 mm	—
② Ignition lead plug	011 109 070	1		—
Bush	26 17 00 004	1		—
Rubber cap	26 17 00 005	1		—
Clamp	26 17 00 001	1		22
Spg. washer	B 6 DIN 137	2		23
Bolt	M 6x12 DIN 933	2		24
Sparking plug	11 17 00 068	1		21

① s. group 04 (crankshaft)


② When ordering ignition lead plug, sealing bush 26 17 00 004 and rubber cap 26 17 00 005 should be ordered additionally

17



Description	1	2	3	4
Fan cowl	26 19 00 501	1		1
Cap for fan cowl	26 19 00 505	1		2
Cover	26 02 00 011	1		3
Rubber grommet	16 44 01 001	1		4
Spg. washer	B 5 DIN 137	14		7
Screw	5x8 DIN 84	7		8

19



Description	1	2	3	4
Frame	26 31 00 900	1		1
Bearing cup	26 31 00 047	1		2
Bearing cup	11 41 00 835	1		3
Silent bloc	26 31 00 035	2		4
③ Spring for center stand	—	—		—
① Name plate	033 101 248	1		5
Grooved stud	2x3 DIN 1476	2		6
Splash plate	26 31 00 061	1		7
Spg. washer	B 6 DIN 137	3		8
Bolt	M 6x8 DIN 933	3		9
② Thief-proof lock and key	26 31 00 529	1		10
Back-frame	26 32 00 502	1		11
Rubber mounting	26 32 00 027	2		12
Bearing pin	26 32 00 045	1		13
Spg. washer	B 14 DIN 137	2		14
Nut	M 14x1,5 DIN 936	1		15
Rubber plug	11 16 00 024	2		16
Bolt	M 8x25 DIN 931	1		—
Bolt	M 8x28 DIN 931	1		17
Spg.-Ring	B 8 DIN 127	2		18
Nut	M 8 DIN 934	2		19
Buffer	26 72 00 008	2		20
④ Stop pin	—	—		—
Bolt	M 5x12 DIN 85	2		21
Spg. washer	A 5 DIN 137	4		22
Nut	M 5 DIN 934	2		23


① not supplied without stamped number.
Send in log book

② Order spare keys from manufaktur (Firm Ingenia Wuppertal-Wichlingshausen)

③ s. group 35


④ s. group 38

31



Description	1	2	3	4
① Front mudguard	26 33 00 501	1		1
Bumper	26 33-00-003	1		2
Clip	26 33 00 006	1		3
Bolt	M 5x18 DIN 933	1		4
Spg. washer	B 5 DIN 137	2		5
Nut	M 5 DIN 934	1		6
Screw	AM 6x15 DIN 91	4		7
Washer	11 39 00 009	4		8
Spg. washer	A 6 DIN 137	4		9
Nut	M 6 DIN 934	2		10
② Rubber grommet	—	—		—
Rear mudguard	26 34 00 501	1		11
Spg. washer	B 7 DIN 137	2		12
Bolt	M 7x52 DIN 931	1		13
Spg. washer	B 6 DIN 137	4		14
Bolt	M 6x12 DIN 933	2		15
Spg. washer	A 6 DIN 137	2		16
Nut	M 6 DIN 934	1		17
Propstand	26 35 00 501	1		18
Pin	26 35 00 003	1		19
Circlip	8 DIN 6799	2		20
Spring	11 35 00 818	1		21
Center stand	26 35 00 502	1		22
Pin	26 35 00 003	1		23
Circlip	8 DIN 6799	2		24
Spring	26 35 00 009	1		25
Clamp	26 35 00 010	1		26
Bolt	M 6x38 DIN 931	1		27
Spg. washer	B 6 DIN 137	2		28
Nut	M 6 DIN 934	1		29

33 34 35



① For use on Prima
Five Star longitudinal
hole must be drilled
(see drawing on
wrapping)


② s. group 44

Description	1	2	3	4
1				
Luggage carrier, complete	26 36 00 500	1		—
Luggage carrier, main section	26 36 00 505	1		1
Stay, rear	26 36 00 508	1		2
Cross member	11 36 00 516	1		3
Wing nut	11 36 00 517	2		4
Bolt	M 8x1x82 DIN 960	1		5
Nut	M 8x1 DIN 985	1		6
Bolt	M 8x20 DIN 933	2		7
Lock washer	B 8 DIN 127	2		8
① Saddle cover	26 38 00 509	2		9
Saddle support	26 38 00 508	2		10
Bush	26 38 00 014	4		11
Spacer bush	26 38 00 009	2		12
Bolt	M 7x12 DIN 933	2		13
Spg. washer	B 7 DIN 137	4		14
Bolt	M 8x90 DIN 931	2		15
Spg. washer	B 8 DIN 137	4		16
Nut	M 8 DIN 934	2		17
Handgrip	26 38 00 506	1		18
Bolt, front	26 38 00 015	1		19
Bolt, rear	26 38 00 016	1		20
Nut	M 8x1 DIN 985	2		21
Spring	11 38 01 018	2		22
② Spring	11 38 02 018	—		—
Stop pin	26 32 00 039	2		23
Circlip	6 DIN 6799	2		24

① state colour


② as required

36 38




Description	1	2	3	4
Front cowling	26 39 00 503	1		1
Rubber moulding, right-hand	26 39 00 051	1		2
Rubber moulding, left-hand	26 39 00 107	1		3
Washer	11 39 00 029	4		4
Screw	AM 5x10 DIN 91	4		5
Headlamp cowling	26 39 00 074	1		6
Washer	11 39 00 066	2		7
Screw	AM 4x10 DIN 91	2		8

39




Description	1	2	3	4
Legshield	23 39 00 501	1		1
Nameplate	28 39 00 001	1		2
Rivet	1,7x3,5 DIN 660	3		3
NSU Insignia	26 39 00 096	1		4
Rivet	1,7x7,5 DIN 660	3		5
Strip, rubber	26 39 00 108	2		6
Stop pad	26 39 00 106	1		—
Snap nut	26 31 00 056	4		7
Washer	11 39 00 029	4		8
Screw	S 4,8x16 DIN 7973	4		9
Edge stripe, left-hand	26 39 00 081	1		10
Edge stripe, right-hand	26 39 00 082	1		11
Grub screw	M 4x8 DIN 551	6		12
Foot rest, left-hand	26 39 00 504	1		13
Foot rest, right-hand	26 39 00 505	1		14
Rubber washer	26 39 00 047	14		15
Washer	26 39 00 048	12		16
Bridge	26 39 00 512	1		17
Screw	AM 5x12 DIN 63	2		18
Washer	11 39 00 029	2		19
Spg. washer	B 5 DIN 137	24		20
Nut	M 5 DIN 934	12		21
Rubber floor covering, rear, left	26 39 01 044	1		—
Rubber floor covering, rear, right	26 39 01 045	1		22
Rubber floor covering, front, left	26 39 01 056	1		—
Rubber floor covering, front, right	26 39 01 057	1		23


39




Description	1	2	3	4
Side panel, left-hand	26 39 00 501	1		1
Nameplate	11 39 02 001	1		2
Rivet	1,7x3,5 DIN 660	2		—
Bush	26 39 00 064	2		3
Rubber moulding	26 39 00 073	1		4
Heel plate, front	26 39 00 513	1		5
Heel plate, rear	26 39 00 515	1		6
Spg. washer	B 4 DIN 137	6		7
Nut	M 4 DIN 934	6		8
Side panel, right-hand	26 39 00 502	1		9
Nameplate	11 39 02 001	1		—
Rivet	1,7x3,5 DIN 660	2		—
Bush	26 39 00 064	2		10
Rubber moulding	26 39 00 073	1		11
Heel plate, front	26 39 00 514	1		—
Heel plate, rear	26 39 00 516	1		—
Spg. washer	B 4 DIN 137	6		—
Nut	M 4 DIN 934	6		—
Side panel	26 32 00 508	2		12
Double spring washer	16 93 00 042	2		13
Clip	26 32 00 042	2		14
Rubber pad	26 32 00 052	2		15
Tube	26 32 00 053	2		16
Lock washer	4 DIN 6799	2		17



Description	1	2	3	4
Instrument panel	26 40 00 900	1		1
Hook for handbag	26 40 00 503	1		2
Screw	M 4x8 DIN 88	3		3
Rubber moulding	26 40 00 014	1		4
Grommet	16 81 00 009	1		5
Screw	AM 5x10 DIN 91	2		6
Spacer	11 39 00 029	2		7
Cover	26 40 00 504	1		8
Slide	26 40 00 018	1		9
Spring	26 40 00 019	1		10
Lock washer	2,3 DIN 6799	1		11
Screw	M 4x6 DIN 88	1		12




Description	1	2	3	4
Front fork, compl.	1 2			
Front fork, compl.	26 41 00 522	1		1
Front fork	26 41 00 521	1		2
Ring	11 41 00 052	1		3
Bearing cone	11 41 00 053	1		4
Leading links, assembly	26 41 00 518	1		5
Bush	19 41 01 012	4		6
Bush	19 41 00 025	1		7
Spg. washer	A 8 DIN 137	4		8
Bolt	M 8x1x22 DIN 961	2		9
Tube	26 41 00 013	2		10
Cap	26 41 00 015	4		11
Pivot bolt	26 41 00 014	2		12
Spg. washer	B 10 DIN 137	4		13
Nut	M 10x1 DIN 936	2		14
Front wheel suspension	—	—		—
Shock absorber	26 41 00 517	1		15
Bush	26 41 00 046	1		—
Cup	26 41 00 034	1		—
Tube	26 41 00 035	1		16
Spring	26 41 00 036	1		17
Tube	26 41 00 038	1		18
Sealring	26 56 00 039	1		19
Nut	26 41 00 037	1		20
Rubber ring	26 41 00 039	2		21
Bush	26 41 00 041	1		22
Washer	26 41 00 040	1		23
Nut	M 10x1 DIN 934	1		24
Lock washer	40 56 00 021	1		25
Pivot bolt	19 41 00 027	1		26
Circlip	10x1 DIN 471	1		27
Bearing parts				
Ball	035 052 368	23	1/4"	28
Ball	11 41 00 780	35	1/8"	29
Bearing cup	11 41 00 841	1		30
Adjusting nut	11 41 00 842	1		31



Description	1	2	3	4
	1 2 3			
Handlebars, with fittings	26 43 00 502	1		1
Handlebars	26 43 00 500	1		2
Clutch lever	19 43 00 007	1		3
Brake lever	19 43 00 008	1		4
Bush	19 43 00 009	2		5
Washer	041 404 134	2	8,1x15x0,5 mm	6
Cup spring	19 43 00 010	2		7
Bolt	M 5x18 DIN 933	2		8
Edging strip right-hand	19 43 00 020	1		9
Throttle twistgrip	19 43 00 505	1		—
Body	19 43 00 011	1		10
Spring	074 743 605	1		11
Adjusting screw	074 743 618	1		—
Grub screw	19 43 00 900	1		12
Slider	024 106 412	1		13
Grip	024 106 411	1		14
Twistgrip sleeve	024 104 768	1		—
End cap	11 44 00 923	1	17 mm ∅	15
Screw	M 5x10 DIN 91	1		16
Edging strip, left-hand	19 43 00 019	1		17
① Dipper switch	—	—		—
② Fixed grip	024 102 006	1		18
Handlebar support	26 43 00 501	1		19
Cap	26 43 00 007	4		20
Inlet air silencer	26 43 00 505	4		21
Spg. ring	A 6 DIN 127	4		22
Bolt	M 6x15 DIN 933	4		23
Spg. washer	B 10 DIN 137	1		24
Bolt	19 43 00 015	1		25
Rubber base plate	19 43 00 016	1		26
Cap	11 43 00 506	1		27

43




① s. group 81

② state colour

Description	1	2	3	4
Control cable for clutch	26 44 00 501	1		1
Adjusting screw	19 44 00 014	1		2
Knurled nut	19 44 00 013	1		3
Control cable for starter	26 16 00 506	1		4
Nut	26 16 00 030	1		5
Cable bracket	11 16 00 028	1		6
Spg. washer	A 10 DIN 137	1		7
Nut	M 10x1 DIN 934	1		8
Knob	11 16 03 017	1		9
Control cable for hand brake	26 44 00 500	1		10
Adjusting screw	19 44 00 014	1		11
Knurled nut	19 44 00 013	1		12
Protection tube	26 44 00 008	1		13
Grommet	11 44 00 032	1		14
Control cable for carburettor/throttle	26 44 00 502	1		15
① Control cable for rear brake	—	—		—


① s. Group 53

43 44



Description	1	2	3	4
	1 2 3			
Front wheel, assembly compl.	26 51 00 515	1	—	—
Wheel	26 51 00 504	1	—	1
① Inner tube	3,50—10"	1	—	—
① Tyre	3,50—10"	1	—	—
Spg. ring	26 51 00 047	3	—	2
Nut	M 10 DIN 934	3	—	3
Front hub, compl.	26 51 00 516	1	—	—
Front hub	26 51 00 501	1	—	4
Ball bearing	24 01 00 510	1	20x42x12 6004xDIN 625	5
Circlip	42x1,75 DIN 472	1	—	6
Bearing tube	19 51 00 012	1	—	7
Spacer tube	19 51 00 014	1	—	8
Ball bearing	24 01 00 510	1	20x42x12 6004xDIN 625	9
Washer	19 51 00 047	1	20x30x1,5 mm	10
Oilseal	085 852 060	1	28x42x8 mm	11
Oilseal	085 851 038	1	32x42x10 mm	12
Ring	19 51 00 015	1	—	13
Brake plate, compl.	19 51 00 510	1	—	14
Brake plate	19 51 01 516	1	—	15
Bush	085 851 055	1	—	16
Brake shoe	19 51 00 511	2	—	17
Lining	19 51 00 010	2	—	18
Rivet	075 752 027	12	—	19
Spring	11 52 00 870	2	—	20
Lock washer	9 DIN 6799	1	—	21
Brake cam	19 51 00 515	1	—	22
Brake cam lever	19 51 00 504	1	—	23
Seal ring	025 104 154	1	—	24
Spg. washer	B 8 DIN 137	2	—	25
Nut	M 8x1 DIN 936	1	—	26


51



Description	1	2	3	4
Bush	19 51 01 013	1		27
Cap	085 851 052	1		28
Speedometer drive	19 51 00 512	1		29
Axel	19 51 00 021	1		30
Axel nut	085 852 069	1		31
Brake anchorage link	26 51 00 513	1		32
Bush, rear	085 851 056	1		33
Bush, front	085 851 057	1		34
Bolt	19 51 00 043	2		35
Cap	085 851 017	2		36
Bush, rear	085 851 043	1		37
Bush, front	085 851 044	1		38
Cap	085 851 017	2		39
Spg. washer	A 7 DIN 137	2		40
Nut	084 841 020	2		41
Cap	085 851 046	1		42

① not supplied


51



Description	1	2	3	4
	1			
Rear hub	26 52 00 501	1		1
Wheel	26 51 00 504	1		2
① Inner tube	3,50—10"	1		—
① Tyre	3,50—10"	1		—
Spg. ring	26 51 00 047	3		3
Nut	M 10 DIN 934	3		4
Brake cam	26 52 00 503	1		5
Spacer	26 52 00 008	1		6
Spring	26 52 00 009	1		7
Brake-cam lever	26 52 00 004	1		8
Yoke	16 53 00 013	1		9
Pivot pin	16 53 00 010	1		10
Washer	11 53 00 002	1	6,4x10x1 mm	11
Clip	11 53 00 819	1		12
Spg. washer	A 6 DIN 137	2		13
Screw	M 6x20 DIN 84	1		14
Brake shoe	19 51 00 511	2		15
Lining	19 51 00 010	2		16
Rivet	075 752 027	12		17
Spring	11 52 00 870	2		18
Criclip	9 DIN 6799	1		19
Washer	26 10 00 081	1		20
Locking plate	26 52 00 007	1		21
Washer	26 10 00 081	1		22
Nut	26 10 00 086	1		23


① not supplied

52




Description	1	2	3	4
Foot-brake lever	26 53 00 505	1		1
Bush	26 14 00 048	2		2
① Rubber pad	26 53 00 021	1		3
Pivot pin	26 53 00 019	1		4
Washer	8,4 DIN 433	1		5
Clip	26 53 00 020	1		6
Pivot pin	26 53 00 005	1		7
Circlip	8 DIN 6799	2		8
Rear brake cable	26 53 00 502	1		9
① state colour				

53



Description	1	2	3	4
Rear wheel suspension	—	—		—
Shock absorber	26 56 00 509	1		1
Spring cup	26 56 00 037	1		2
Rubber packing	26 56 00 039	1		3
Tube	26 56 00 508	1		4
Spring	26 56 00 060	1		5
Spring cup	26 56 00 043	1		6
Rubber ring	26 56 00 044	2		7
Cup	26 56 00 045	2		8
Spacer bush	26 56 00 046	1		9
Washer	26 56 00 047	1		10
Nut	M 10x1 DIN 934	1		11
Lock Nut	40 56 00 021	1	(10x1)	12
Bolt	26 56 00 006	1		13
Lock washer	26 56 00 049	1		14
Spg. ring	B 4 DIN 127	1		15
Screw	AM 4x10 DIN 84	1		16

56




Description	1	2	4
① Exhaust pipe	26 71 01 504	1	1
② Exhaust elbow	—	—	—
① Silencer	28 71 01 001	1	2
Spg. ring	B 8 DIN 127	1	3
Bolt	M 8x15 DIN 933	1	4
Spg. washer	B 8 DIN 137	2	5
Nut	M 8 DIN 934	2	6
Pipe clip	26 71 00 037	1	7
Bolt	M 6x36 DIN 931	1	8
Spg. washer	B 6 DIN 137	2	9
Nut	M 6 DIN 934	1	10
Gasket	26 71 00 015	1	11
Spg. ring	B 8 DIN 127	2	12
Bolt	M 8x25 DIN 933	2	13
Clip	11 71 00 906	1	14

① on vehicles prior to
2 200 650/3 450 716
only complete exhaust
system interchangeable

② s. group 02

71




Description	1	2	3	4
① Fuel tank	26 72 01 504	1		1
Rubber buffer	26 72 00 008	7		2
Cap	26 72 00 508	1		3
Fuel tap	26 72 00 020	1		—
Gauge	26 72 00 514	1		4
Seal	26 72 00 021	1		5
Seal	26 72 00 900	1		6
Nut	26 72 00 901	1		7
Seal	083 872 907	1		—
Gauze	083 872 910	1		8
Filter cup	083 872 903	1		9
Seal	083 872 911	1		10
Nipple	083 872 913	1		11
Seal	083 872 912	1		12
Screw	6x35 DIN 931	1		13
Protective sleeve	26 72 00 022	1		—
Pipe	26 72 00 515	1	L = 250	14
Sleeve	11 72 00 600	2		—

① For vehicles prior to 2 203 955/3 453 999 the following parts will have to be ordered additionally:


Filter cover 26 16 01 505
Screw 081 816 024
Seal 26 16 00 042
Air cleaner unit 26 16 00 016

72




Description	1	2	3	4
Headlamp unit	11 17 01 506	1		—
Bulb holder	11 81 11 905	1		1
Stud	4x8 DIN 551	4		2
Reflector, without bulb holder	11 81 11 904	1		3
Glass	11 81 10 902	1		4
Seal ring	11 81 11 997	1		5
Glass mounting ring	11 81 10 903	1		6
Spring for bulb holder	11 81 10 908	1		7
Cap	11 17 00 007	2		8
Screw	AM 4x10 DIN 91	2		9
Headlamp bulb	11 81 60 600	1	B 12 V 35/35 W	10
Parking bulb	11 81 60 601	1	H 12 V, 2 W	11
Dipper switch	28 81 00 503	1		12
Screw	AM 5x10 DIN 91	1		13
Dipper-switch lead	28 81 40 908	1		—
Starter, ignition and lighting switch	26 81 00 900	1		14
Ignition key	11 81 11 912	1		15
Spg. washer	B 4 DIN 137	2		16
Screw	AM 4x6 DIN 84	2		17
Fog-light	28 81 00 502	1		—
Fog-light unit	28 81 40 901	1		—
Glass mounting ring	28 81 40 904	1		18
Seal ring	28 81 40 903	1		—
Diffusor glass, yellow	28 81 40 902	1		19
Reflector	28 81 40 905	1		20
Screw with lock washer	AM 4x15 DIN 91	2		21
Bulb holder	28 81 40 906	1		23
Base plate (rubber)	28 81 00 005	1		24
Spg. washer	26 51 00 047	1		25
Nut	M 10x1 DIN 934	1		26
Bulb for fog-light	28 81 60 900	1		27

81




Description	1	2	3	4
Push-switch for fog-light	28 81 00 500	1		28
Knob for push-switch	28 81 00 907	1		—
Rear light and stop light	26 81 00 511	1		—
Glass for rear lamp (red)	26 81 50 902	1		31
Glass mounting ring	26 81 50 904	1		32
Screw with lock washer	26 81 50 903	2		33
Bulb for rear light	11 81 60 926	1	L 12 V, 5 W	34
Bulb for stop light	11 81 60 922	1	12 V, 15 W	35
Screw	M 5x18 DIN 84	2		36
Spg. washer	B 5 DIN 127	2		37
Nut	M 5 DIN 934	2		38
Cable clip	126 111 740	1		—
Cable clip	11 44 00 028	3		40
Catsch	11 44 00 010	3		41
Stop-light switch	086 881 511	1		42
Spg. washer	A 4 DIN 137	2		43
Screw	M 4x5 DIN 84	2		44
Cover	083 831 046	1		45

81



Description	1	2	3	4
Battery	26 81 00 036	2		1
Battery lid	11 81 70 950	2		2
Screw	046 410 121	2		—
Washer	046 410 122	2		—
Spg. ring	046 410 123	2		—
Nut	046 410 124	2		—
Rubber strip	043 411 209	8		3
Tightening strap	26 81 00 503	2		4
Horn	11 17 02 008	1		5
Spg. ring	B 8 DIN 127	1		6
Bolt	M 8x15 DIN 933	1		7
Cable harness, left-hand	26 81 00 502	1		—
Sleeve	26 81 00 007	1	1200 mm	—
① Lead: Battery — ignition switch	26 81 00 009	1	1550 mm	—
Spade terminal	26 81 00 013	1	5,4 mm Ø	—
② Lead: Cutout — charging indicator light	26 81 00 010	1	1550 mm	—
Spade terminal	26 81 00 014	1	4,4 mm Ø	—
Rubber cap	021 058 005	1		—
③ Lead: Fuel tank / fuel control lamp	26 81 00 011	1	1595 mm	—
Connecting plug	24 81 00 011	1		—
Cable harness, right-hand	26 81 00 504	1		—
Protective sleeve	26 81 00 015	1	1200 mm	—
④ Lead: Ignition switch — starter	26 81 00 018	1	1540 mm	—
Spade terminal	26 81 00 022	1	6,4 mm Ø	—
Protective sleeve	26 81 00 017	1	840 mm	—
⑤ Lead: Ignition switch — ignition coil	26 81 00 019	1	1800 mm	—
Spade terminal	026 057 987	1	5,4 mm Ø	—
Rubber cap	021 058 005	1		—
⑥ Lead: Ignition switch — tail lamp	26 81 00 012	1	2310 mm	—


81



Description	1	2	3	4
	1 2			
⑥ Lead: Stop light — stop-light switch	26 81 00 021	1	1440 mm	—
⑥ Lead: Ignition switch — stop-light — switch	26 81 00 020	1	1030 mm	—
Protective sleeve	26 81 00 016	1	100 mm	—
④ Lead: Ignition switch 56 — instrument lights	26 81 00 506	1	160 mm, 210 mm	—
② Lead: Ignition switch 57 parking light	26 81 00 505	1	390 mm	—
①③ Lead: Ignition switch 15/54 — Charging indicator light and fuel indicator light	26 81 00 507	1	130 mm, 230 mm	—
① Lead: Battery cut out 51	26 81 00 508	1	300 mm	—
Spade terminal	57 987	1	—	—
Spade terminal	26 81 00 014	1	—	—
Rubber cap	58 005	1	—	—
Cabel harness	26 81 00 509	1	—	—
Protective sleeve	26 81 00 034	1	250 mm	—
① Lead	26 81 00 031	1	350 mm	—
Cable joint	24 81 00 012	1	—	—
⑥ Lead	26 81 00 032	1	350 mm	—
Cable joint	24 81 00 012	1	—	—
⑦ Lead	26 81 00 033	1	350 mm	—
Cable joint	24 81 00 012	1	—	—
⑦ Lead: 15/54 Ignition switch — horn	26 81 00 030	1	180 mm	—
④ Earth lead: Frame — engine frame — battery	26 81 00 513	2	210 mm	—
Spade terminal	26 81 00 039	2	—	—
③ Spade terminal	11 17 00 036	2	700 mm	—
Lead: Battery — battery	11 17 00 520	1	—	—
Spade terminal	11 17 00 036	2	—	—
Lead: Push switch -fog light	28 81 00 001	1	—	—
③ Lead: Ignition switch 54 —	28 81 00 501	1	400 mm	—
④ Lead: Fuel tank — frame	26 81 00 512	1	165 mm	—
Spade terminal	26 81 00 014	1	4,4 mm Ø	—
Spade terminal	26 81 00 037	1	—	—
Screw	S 2,9x9,5 DIN 7974	1	—	—

- ① red
- ② brown
- ③ green
- ④ black
- ⑤ yellow
- ⑥ blue
- ⑦ withe


81



- | | | | |
|--|---------------------------|--------------------------------|----------|
| A Flywheel dynamo | H Charging indicator lamp | O Stop light switch | a black |
| B Combined Starter / Light Ignition switch | J Speedometer lamp | R Ignition coil | b red |
| C Battery | K Fuel control light | S Spark plug | c brown |
| D Headlight | L Dipper switch | T Ground terminal | d yellow |
| E Parking light | M Lever for horn | W Fog-light switch | e white |
| F Tail light | N Horn | X Push-botton for flash-signal | f blue |
| G Stop light | | Z Clock lamp | g green |


Description	1	2	3	4
Tool box	1			
	26 73 00 501	1		1
Lid	018 096 857	1		2
Rivet	3x23 DIN 660	1		—
Wing nut	018 096 618	1		3
Spg. washer	B 5 DIN 137	1		4
Nut	M 5 DIN 934	1		5
Tool kit, compl.	26 91 00 500	1		—
Tool roll	26 91 00 003	1		6
Screwdriver	018 097 719	1		7
Spanner for front wheel	26 91 00 002	1		8
Tommy bar	11 91 00 007	1		9
Combination pliers	028 050 026	1		10
Douple-ended spanner	128 110 810	1	17x19	11
Douple-ended spanner	11 91 00 601	1	10x11	12
Douple-ended spanner	11 91 00 600	1	8x9	13
Plug spanner	26 91 00 001	1		14
Allen key	10 DIN 911	1		15
① Duster	128 050 035	1		16

① not supplied



Description	1	2	3	4
Instruments				
Clock	26 92 00 001	1		1
Rubber ring	26 92 00 900	1		—
Mounting bracket	26 92 00 902	2		—
Knurled nut	11 94 00 922	2		—
Socket for Clock lamp	11 94 00 902	1		3
Socket for charging- indicator and fuel Control lamp	26 92 00 903	2		4
Speedometer head	26 92 00 005	1		2
Mounting bracket	26 92 00 901	2		5
Knurled nut	11 94 00 922	2		6
Socket for speedometer illumination bulb	11 94 00 902	1		3
Speedometer cable	26 92 00 502	1		7
Rubber cap	26 92 00 004	1		8
Rubber ring	26 92 00 900	2		9
Bulb for clock and speedometer	11 94 60 600	2	J 12 V, 2 W	10
Bulb for charging- indicator lamp	11 81 60 601	1	H 12 V, 2 W	11
Bulb for fuel control lamp	11 81 60 601	1	H 12 V, 2 W	12

92



Description	1	2	3	4
Spare wheel				
Carrier	26 93 00 001	1		1
Lock screw	26 93 00 003	1		2
Washer	8,4 DIN 125	1		3
Wing nut	M 8 DIN 315	1		4
Wheel				
① Inner tube	3,50—10"	1		—
① Tyre	3,50—10"	1		—
Mirror	26 93 00 002	1		5

① not supplied

93

